

2 Inch Bluetooth Mobile Printer

SMP-M240

Dual Bluetooth
3.0 & 4.0



- Support Bluetooth 4.0 for iOS
(iPhone 4S, iPad 3 and above)



2 Inch Bluetooth Mobile Printer

SMP-M240

Applications



Transportation



Retail



Logistics



Manufacturing

Features

- ✓ Compact size & light weight Design
- ✓ Easy paper loading (clamshell type)
- ✓ Bluetooth with high communication speed
- ✓ Support for Android, iOS, Windows Mobile, WinCE, and Windows(7, Vista, XP)
- ✓ Various wire/ wireless interfaces are available
- ✓ Long-lasting Li-ion battery(7.4V, 1500mAh)



2 Inch Bluetooth Mobile Printer

SMP-M240

Specifications

Physical Characteristics		
Printing	Printing method	Thermal line printing
	Resolution	203DPI, 8dots/mm
	Printing speed	50-70mm/s
	Valid printing width	48mm
	Interface	Dual Bluetooth (3.0+EDR & 4.0), RS232, USB
Power saving	Sleep mode	YES
Character Set	Font	Font A: 12*24 Font B:9*17
		KOR:24*24
	Alphanumeric	95
	Expanded character	128*30
Barcode Symbolologies	International character	15
	1D	UPC-A, UPC-E, EAN8, EAN13, CODE39, ITF, CODEBAR, CODE128, CODE93
	2D	QR code
Graphics		Support bitmap printing with different density and user defined bitmap printing (Max. 64K for per bitmap, and Max. 256K for total)
Detection	Sensors	No paper detection
LED indicator	Power indicator	Red
	Error indicator	Blue
Paper	Paper type	Thermal paper
	Paper width	57mm
	Paper thickness	£0.12mm
	Paper roller diameter	£40mm
	Paper loading	Easy loading mechanism
User Environment		
Working condition		-10°C~50°C , 20%~85%RH
Storage condition		-20°C~70°C, 5%~95%RH
Physical characteristics		
Dimension		92.5 x 75 x 38mm(for 30mm paper house)
Weight		197g (without paper roll)
Optional kits		RS232 data cable or USB cable, leather case
Power	Power supply	AC100-250V/0.5A
	Battery	1500mAh 7.4V rechargeable Li-ion battery
Reliability	TPH	50km(not more than 12.5% printing density)/100 million pulses
Software	Emulation	ESC/POS
	Driver	Windows 2000/XP/Vista/7/8/POSReady,Linux
	SDK	Android (DLL), iOS, WinCE, Win Mobile,

*Specifications subject to change without notice.



Corporate Headquarters
 #704, E&C dream-tower 8th, 45 Gasan Digital 1st road, GeumCheon, Seoul 153-793 Korea

Tel: +82. 70. 4814. 0100 Fax: +82. 2. 6974. 1533 E-mail: info@syncrown.com

Http://www.syncrown.com

Copyright 2013 Syncrown Inc. All rights reserved.

